

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1159730	control and switch	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:42
L2	555	control and switch and floating adj power	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:42
L3	94	control and switch and floating adj power and fault	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:42
L4	84	control and switch and floating adj power and fault and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:42
L5	50	control and switch and floating adj power and fault and capacitor and transfer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:42
L6	0	control and switch and floating adj power and fault and capacitor and transfer and "3"\$charge	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:43
L7	4	control and switch and floating adj power and fault and capacitor and transfer and pre\$charge	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:45
L8	49	control and switch and floating adj power and fault and capacitor and transfer and load	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:45
L9	9	control and switch and floating adj power and fault and capacitor and transfer and load and driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:46
L10	733	switch and fault and precharge	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:46
L11	593	switch and fault and precharge and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:47

EAST Search History

L12	136	switch and fault and precharge and voltage and floating	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:47
L13	62	switch and fault and precharge and voltage and floating and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:47
L14	62	switch and fault and precharge and voltage and floating and capacitor and signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 12:47
L15	26	switch and fault and precharge and voltage and floating and capacitor and signal and protection	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 13:41
L16	8	switch and fault and precharge and voltage and floating and capacitor and signal and protection and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/04 13:42
S1	299	supplied adj power same fault	US-PGPUB; USPAT	OR	ON	2006/08/04 12:41
S3	0	supplied adj power same actual same difference same fault	US-PGPUB; USPAT	OR	ON	2005/08/21 17:37
S4	1	supplied adj power same actual and difference same fault	US-PGPUB; USPAT	OR	ON	2005/08/21 17:38
S5	512	power same actual and difference same fault	US-PGPUB; USPAT	OR	ON	2005/08/21 17:38
S6	377	power same actual and difference same fault and predetermin\$3	US-PGPUB; USPAT	OR	ON	2005/08/21 17:38
S7	102	power same actual and difference same fault and predetermin\$3 and alarm	US-PGPUB; USPAT	OR	ON	2005/08/21 17:38
S8	58	power same actual and difference same fault and predetermin\$3 and alarm and display	US-PGPUB; USPAT	OR	ON	2005/08/21 17:38
S9	82	supplied adj power same difference and fault	US-PGPUB; USPAT	OR	ON	2005/08/22 09:30
S10	2	"6687654"	US-PGPUB; USPAT	OR	ON	2005/08/22 12:20
S11	2661	supplied adj power and fault	US-PGPUB; USPAT	OR	ON	2005/08/22 12:20
S12	1423	supplied adj power and fault and difference	US-PGPUB; USPAT	OR	ON	2005/08/22 12:20
S13	652	supplied adj power and fault and difference and threshold	US-PGPUB; USPAT	OR	ON	2005/08/22 12:21

EAST Search History

S14	492	supplied adj power and fault and difference and threshold and load	US-PGPUB; USPAT	OR	ON	2005/08/22 12:21
S15	494	supplied adj power and fault and difference and threshold and load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:21
S16	479	supplied adj power and fault and difference and threshold and load and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:21
S17	296	supplied adj power and fault and difference and threshold and load and voltage and magnitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:21
S18	182	supplied adj power and fault and difference and threshold and load and voltage and magnitude and heat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:21
S19	22	supplied adj power and fault and difference and threshold and load and voltage and magnitude and heat\$3 adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:22
S20	98	estimate same supplied adj power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:23
S21	38	estimate same supplied adj power and difference same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:28
S22	67	estimate same level adj power and difference same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:28
S23	67	estimate same level adj power and differences same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:28

EAST Search History

S24	13	estimate same level adj power and differences same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:29
S25	3033	determine same difference same between same level same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:30
S26	598	determine same difference same between same level same power same supplied	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:30
S27	95	determine same difference same between same level same power same supplied same actual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:30
S28	24	determine same difference same between same level same power same supplied same actual and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:31
S29	94	determine same difference same between same level same power same supplied same actual and control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:32
S30	18	determine same difference same between same level same power same supplied same actual and control and failure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:35
S31	72	determine same estimate same power same supplied and control and failure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 12:35
S32	16485	estimate same power	US-PGPUB; USPAT	OR	ON	2005/12/07 16:57
S33	678	estimate same power and control same load and determine same difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:58

EAST Search History

S34	420	estimate same power and control same load and determine same difference and supplied	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:58
S35	278	estimate same power and control same load and determine same difference and supplied and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:58
S36	255	estimate same power and control same load and determine same difference and supplied and threshold and off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:58
S37	255	estimate same power and control same load and determine same difference and supplied and threshold and off and control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:58
S38	207	estimate same power and control same load and determine same difference and supplied and threshold and off and control and switching	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:59
S39	169	estimate same power and control same load and determine same difference and supplied and threshold and off and control and switching and failure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:59
S40	121	estimate same power and control same load and determine same difference and supplied and threshold and off and control and switching and failure and measurement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:59
S41	53	estimate same power and control same load and determine same difference and supplied and threshold and off and control and switching and failure and measurement and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:59

EAST Search History

S42	25	estimate same power and control same load and determine same difference and supplied and threshold and off and control and switching and failure and measurement and heating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:59
S43	112	estimate same power and control same load and determine same difference and supplied and threshold and off and control and switching and failure and measurement and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:00
S44	3	estimate same power and control same load and determine same difference and supplied and threshold and off and control and switching and failure and measurement and voltage and thermostat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:01
S45	26	estimate same power and control same load and determine same difference and supplied and threshold and off and control and switching and failure and measurement and voltage and fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:01
S46	26	estimate same power and control same load and determine same difference and supplied and threshold and off and controller and switching and failure and measurement and voltage and fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:04
S47	0	power adj converter and estimate and control same load and determine same difference and supplied and threshold and off and controller and switching and failure and measurement and voltage and fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:04
S48	2	power adj converter and estimate and control same load and difference and supplied and threshold and off and controller and switching and failure and measurement and voltage and fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:04

EAST Search History

S49	2	power adj converter and estimate and control and load and difference and supplied and threshold and off and controller and switching and failure and measurement and voltage and fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:05
S50	2	power adj converter and estimate and control and load and difference and supplied and threshold and zero and controller and switching and failure and measurement and voltage and fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:05
S51	2	power adj converter and estimate and control and load and difference and supplied and threshold and controller and switching and failure and measurement and voltage and fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:05
S52	0	power adj converter and estimate and control and load and difference and supplied and threshold and controller and switching and failure and measurement and voltage and fusing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:05
S53	6	power adj converter and estimate and control and load and difference and supplied and threshold and controller and switching and failure and measurement and voltage and heating adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:05
S54	14	supplied adj power same fault and fuse same detect	US-PGPUB; USPAT	OR	ON	2006/01/05 19:43
S55	261	702/61.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/02 14:49
S56	531	702/64.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/02 14:50
S57	1285	702/182.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/02 14:50
S58	1056	702/183.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/02 14:50
S59	379	702/184.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/02 14:50
S60	570	702/185.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/02 14:50

EAST Search History

S61	540	324/76.11	US-PGPUB; USPAT	OR	ON	2006/08/02 14:50
S62	438	324/76.11.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/02 14:52
S63	263	324/76.77.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/02 14:52